

ELASTOTEC DANGEROUS GOODS PACKING DETAILS




ELASTOTEC HOT VULCANISING CEMENT


	Container	• 20L metal drum • UN approved
	Dimensions	Diam 28cm height 36cm
	Weight	15.9kg
	UN Code	1287 – Rubber solution
	Proper shipping name	Adhesives containing flammable liquids
	Packing Group	II
	Dangerous goods class	3 Flammable liquids
	Regulation for shipping	Sea cargo: Can be shipped in original container Air cargo: Can be shipped in original container Air passenger: Not approved

ELASTOTEC DANGEROUS GOODS PACKING DETAILS

ELASTOTEC COLD VULCANISING ADHESIVE AND HARDENER


	<table border="1"> <tr> <td>Container</td> <td>Cold Vulcanising Adhesive: • 1L metal tin • UN non approved Hardener: • 50ml glass bottle • UN non approved</td> </tr> <tr> <td>Dimensions</td> <td>Carton 6 kits: • 34.5cm x 15cm x 28cm Carton 4 kits (Under 5L Total): • 34.5cm x 15cm x 28cm</td> </tr> <tr> <td>Weight</td> <td>Carton 6 kits: • 7.54kg Carton 4 kits (Under 5L Total): • 5.03kg</td> </tr> <tr> <td>UN Code</td> <td>Cold Vulcanising Adhesive: • 1133 • Hardener 1993</td> </tr> <tr> <td>Proper shipping name</td> <td>Adhesives containing flammable liquids</td> </tr> <tr> <td>Packing Group</td> <td>II</td> </tr> <tr> <td>Dangerous goods class</td> <td>3 Flammable liquids</td> </tr> <tr> <td>Regulation for shipping</td> <td>Sea cargo: <5L per UN approved box Air cargo: <5L per UN approved box Needs to be repacked into UN approved packaging by DG agent. Air passenger: Not approved</td> </tr> </table>	Container	Cold Vulcanising Adhesive: • 1L metal tin • UN non approved Hardener: • 50ml glass bottle • UN non approved	Dimensions	Carton 6 kits: • 34.5cm x 15cm x 28cm Carton 4 kits (Under 5L Total): • 34.5cm x 15cm x 28cm	Weight	Carton 6 kits: • 7.54kg Carton 4 kits (Under 5L Total): • 5.03kg	UN Code	Cold Vulcanising Adhesive: • 1133 • Hardener 1993	Proper shipping name	Adhesives containing flammable liquids	Packing Group	II	Dangerous goods class	3 Flammable liquids	Regulation for shipping	Sea cargo: <5L per UN approved box Air cargo: <5L per UN approved box Needs to be repacked into UN approved packaging by DG agent. Air passenger: Not approved	
Container	Cold Vulcanising Adhesive: • 1L metal tin • UN non approved Hardener: • 50ml glass bottle • UN non approved																	
Dimensions	Carton 6 kits: • 34.5cm x 15cm x 28cm Carton 4 kits (Under 5L Total): • 34.5cm x 15cm x 28cm																	
Weight	Carton 6 kits: • 7.54kg Carton 4 kits (Under 5L Total): • 5.03kg																	
UN Code	Cold Vulcanising Adhesive: • 1133 • Hardener 1993																	
Proper shipping name	Adhesives containing flammable liquids																	
Packing Group	II																	
Dangerous goods class	3 Flammable liquids																	
Regulation for shipping	Sea cargo: <5L per UN approved box Air cargo: <5L per UN approved box Needs to be repacked into UN approved packaging by DG agent. Air passenger: Not approved																	

ELASTOTEC METAL PRIMER 2205

	<table border="1"> <tr> <td>Container</td> <td>• 1L metal tin • UN non approved</td> </tr> <tr> <td>Dimensions</td> <td>Diam 11cm x height 13.5cm</td> </tr> <tr> <td>Weight</td> <td>1.06kg</td> </tr> <tr> <td>UN Code</td> <td>1133</td> </tr> <tr> <td>Proper shipping name</td> <td>Adhesives containing flammable liquids</td> </tr> <tr> <td>Packing Group</td> <td>II</td> </tr> <tr> <td>Dangerous goods class</td> <td>3 Flammable liquids</td> </tr> <tr> <td>Regulation for shipping</td> <td>Sea cargo: <5L per UN approved box Air cargo: <5L per UN approved box Needs to be repacked into UN approved packaging by DG agent. Air passenger: Not approved</td> </tr> </table>	Container	• 1L metal tin • UN non approved	Dimensions	Diam 11cm x height 13.5cm	Weight	1.06kg	UN Code	1133	Proper shipping name	Adhesives containing flammable liquids	Packing Group	II	Dangerous goods class	3 Flammable liquids	Regulation for shipping	Sea cargo: <5L per UN approved box Air cargo: <5L per UN approved box Needs to be repacked into UN approved packaging by DG agent. Air passenger: Not approved	
Container	• 1L metal tin • UN non approved																	
Dimensions	Diam 11cm x height 13.5cm																	
Weight	1.06kg																	
UN Code	1133																	
Proper shipping name	Adhesives containing flammable liquids																	
Packing Group	II																	
Dangerous goods class	3 Flammable liquids																	
Regulation for shipping	Sea cargo: <5L per UN approved box Air cargo: <5L per UN approved box Needs to be repacked into UN approved packaging by DG agent. Air passenger: Not approved																	

ELASTOTEC DANGEROUS GOODS PACKING DETAILS

ELASTOTEC METAL PRIMER 2207

	Container	• 1L metal tin • UN non approved
	Dimensions	Diam 13.5cm x 11cm
	Weight	1.01kg
	UN Code	1133
	Proper shipping name	Adhesives containing flammable liquids
	Packing Group	II
	Dangerous goods class	3 Flammable liquids
	Regulation for shipping	Sea cargo: <5L per UN approved box Air cargo: <5L per UN approved box Needs to be repacked into UN approved packaging by DG agent. Air passenger: Not approved

Recommended DG freight agent:



Carlos Fakhry Sydney Operations Manager

Phone 1300 651 248

Mobile +61 (0) 411 864 011

Overseas Phone +61 (8) 823 41 622

Email carlos@dgair.com.au

Website www.dgair.com.au

Office Port Air Industrial Estate Unit 2, 1A Hale Street,
Botany NSW 2019 Australia

Postal PO Box 140 Botany NSW 1455 Australia