



# Accessories



Engineered to Perform

## COLD BONDING ACCESSORIES

### ADHESIVES



**ELA-METALPRIMER-2205-1L**  
Metal primer for cold bonding and hot vulcanising lagging applications 1L.

| DIAMETER | HEIGHT | WEIGHT |
|----------|--------|--------|
| 11.7cm   | 13.3cm | 0.99kg |



**ELA-CV-ADHESIVE-01L**  
Cold bonding 2-part adhesive 1L kit including hardener. Box of 4.Box size 14cm x 23cm x 27cm 5.15kg

| DIAMETER | HEIGHT | WEIGHT |
|----------|--------|--------|
| 11.7cm   | 13.3cm | 1.25kg |

### APPLICATION TOOLS



**ELT-DP-METER-317**  
Dew point meter.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 9.5cm | 19.5cm | 45.0cm | 0.23kg |



**MIS-PAINT-BRUSH-12MM**  
Small lining brush for glue application in lagging edges. Pack of 12.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 26.0cm | 11.0cm | 0.1cm  | 0.11kg |



**MIS-PAINT-TRAY-270**  
Paint Tray 270mm.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 34.5cm | 49.0cm | 10.0cm | 0.55kg |



**MIS-ROLLER-FRAME-230**  
Roller frame for glue application.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 25.0cm | 48.0cm | 6.0cm  | 0.37kg |



**ELT-SP-GAUGE**  
Surface profile gauge.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 5.0cm | 15.0cm | 12.5cm | 0.30kg |



**MIS-PAINT-BRUSH-OVAL**  
Paint brush 75mm.

| DIAMETER | LENGTH | WEIGHT |
|----------|--------|--------|
| 9.0cm    | 23.0cm | 0.10kg |


**MIS-DISPOSABLE-TRAY-LINER-270**

Disposable paint tray liner 270mm. Pack of 5.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 34.5cm | 49.0cm | 10.0cm | 0.30kg |


**ELT-S-WHEEL-50-5**

Stitching wheel 5mm x 50mm dia.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 5.0cm | 19.4cm | 4.0cm  | 0.18kg |


**MIS-PAINT-STIR**

Paint stirring stick.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 2.5cm | 30cm   | 0.5cm  | 0.02kg |


**ELT-HAMMER-370**


Pneumatic hammer 370mm.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 15.0cm | 370mm  | 9.0cm  | 2.95kg |


**MIS-ROLLER-COVER-230**

Paint roller cover 230mm. Pack of 4.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 23.0cm | 24.0cm | 6.0cm  | 0.30kg |


**ELT-S-WHEEL-50-3**

Stitching wheel 3mm x 50mm dia.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 5.0cm | 18.8cm | 4.0cm  | 0.13kg |


**ELT-HAMMER-280**

Pneumatic hammer 280mm.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 9.0cm | 28.0cm | 9.0cm  | 1.74kg |


**MIS-SYRINGE**

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 6.0cm | 12.0cm | 4.0cm  | 0.10kg |



**MIS-UTILITY-KNIFE**  
Knife.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 11.5cm | 22.5mm | 3.0cm  | 0.40kg |



**PLASTIC-  
RELEASE-LINER**

| WIDTH | LENGTH | WEIGHT |
|-------|--------|--------|
| N/A   | N/A    | N/A    |



**MIS-RUBBER**  
Rubber mallet.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 11.5cm | 33.5cm | 7.0cm  | 0.95kg |



**ELT-HAMMER-280-RH**  
Pneumatic hammer  
280mm rubber head.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 5.0cm | 5.0cm  | 7.0cm  | 2.20kg |



**ELT-HAMMER-370-RH**  
Pneumatic hammer  
370mm rubber head.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 6.0cm | 6.0cm  | 8.0cm  | 2.22kg |



## ADHESION TESTING TOOLS



### MIS-BOND-TEST-PIECE-HV-CB

Hot vulcanising and cold bonding test piece.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 2.3cm | 20.0cm | 0.4cm  | 0.19kg |



### MIS-BOND-TEST-CLAMP

Clamp

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 11.0cm | 23.0cm | 9.0cm  | 2.50kg |



### MIS-BOND-TEST-SCALE

Crane scale 300kg for cold bonding and hot vulcanising applications bond testing.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 11.0cm | 17.2cm | 10.0cm | 0.7kg  |

## CONSUMEABLES



### TRU-RAG-5KG

Absorbent rag 5kg Box.  
600mm x 400mm 350/ctn.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 40.0cm | 45.0cm | 57.0cm | 5.20kg |



### ETHYL ACETATE 1L

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 4.0cm | 10.0cm | 17.0cm | 0.93kg |

## HOT VULCANISING ACCESSORIES

### ADHESIVES



#### ELAMETALPRIMER-2205-1L

Metal primer for cold bonding and hot vulcanising lagging applications 1L.

| DIAMETER | HEIGHT | WEIGHT |
|----------|--------|--------|
| 11.7cm   | 13.3cm | 0.99kg |



#### ELA-HV-ADHESIVE-20L

Hot vulcanising rubber cement 20L.

| DIAMETER | HEIGHT | WEIGHT  |
|----------|--------|---------|
| 28.2cm   | 36.0cm | 15.90kg |

### APPLICATION TOOLS



#### VMQ-INFILL-06-50M

Silicone infill strip 6mm x 5mm. Green. Roll: 26cm x 16cm 2.20kg

| DIAMETER | HEIGHT | WEIGHT   |
|----------|--------|----------|
| 6mm      | 5mm    | 0.04kg/m |



#### VMQ-INFILL-12-100M

Silicone infill strip 12mm x 7mm. Orange. Roll: 44cm x 20cm 9.80kg

| DIAMETER | HEIGHT | WEIGHT   |
|----------|--------|----------|
| 12mm     | 7mm    | 0.09kg/m |



#### VMQ-INFILL-18-50M

Silicone infill strip 18mm x 5mm. Red. Roll: 43cm x 16cm 5.60kg

| DIAMETER | HEIGHT | WEIGHT   |
|----------|--------|----------|
| 18mm     | 5mm    | 0.11kg/m |



#### VMQ-INFILL-DIA-12-50M

Silicone infill strip 10mm x 7mm. Yellow. Roll: 43cm x 25cm 5.00kg

| DIAMETER | HEIGHT | WEIGHT   |
|----------|--------|----------|
| 10mm     | 7mm    | 0.09kg/m |



#### VMQ-INFILL-09-50M

Silicone infill strip 9mm x 6mm. Blue. Roll: 30cm x 16cm 3.60kg

| DIAMETER | HEIGHT | WEIGHT   |
|----------|--------|----------|
| 9mm      | 6mm    | 0.07kg/m |



#### VMQ-INFILL-14-50M


Silicone infill strip 14mm x 6mm. Gray. Roll: 27cm x 12cm 5.90kg

| DIAMETER | HEIGHT | WEIGHT   |
|----------|--------|----------|
| 14mm     | 6mm    | 0.11kg/m |




**VMQ-INFILL-DIA-105-50M**  
Silicone infill strip  
10,5mm x 11mm. Light blue.  
Roll: 44cm x 10cm 6.30kg

| DIAMETER | HEIGHT | WEIGHT   |
|----------|--------|----------|
| 10.5mm   | 11mm   | 0.13kg/m |



**VMQ-DIAMOND-15**  
Pad 1x3 diamonds.  
Diamond 312mm x 48mm.  
Light blue. (Silicone  
Diamond Infill Strip) Pack  
10: 48cm x 55cm x 20cm  
0.8kg

| DIAMETER | HEIGHT | WEIGHT       |
|----------|--------|--------------|
| 312mm    | 48mm   | 0.08kg/piece |



**VMQ-INFILL-XT-16**  
Silicone infill strip pad 5  
diamonds x 3 diamonds for  
HTB lagging.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 24.6cm | 3cm    | 6.06cm | 0.40kg |



**VMQ-INFILL-HTB**  
Silicone infill strip pad 5  
diamonds x 3 diamonds  
for HTB lagging.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 24.6cm | 3cm    | 6.04cm | 0.72kg |



**MQ-INFILL-DIA-15-50M**  
Silicone infill strip 10mm  
x 11mm. Black. Roll:  
44cm x 17cm 7.10kg

| DIAMETER | HEIGHT | WEIGHT   |
|----------|--------|----------|
| 10mm     | 11mm   | 0.14kg/m |



**TAPE-NYLON-CURE-75-300M**  
Nylon curing tape for  
pulley wrapping during  
hot vulcanising lagging  
application.

| DIAMETER | HEIGHT | WEIGHT      |
|----------|--------|-------------|
| 75mm     | 300mm  | 4.20kg/roll |



**MIS-PAINT-BRUSH-12MM**  
Small lining brush for glue  
application in lagging  
edges. Pack of 12.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 26.0cm | 11.0cm | 0.1cm  | 0.11kg |



**MIS-PAINT-TRAY-270**  
Paint Tray 270mm.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 34.5cm | 49.0cm | 10.0cm | 0.55kg |



#### MIS-DISPOSABLE-TRAY-LINER-270

Disposable paint tray liner 270mm. Pack of 5.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 25.0cm | 48.0cm | 6.0cm  | 0.37kg |



#### ELT-DP-METER-317

Dew point meter.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 9.5cm | 19.5cm | 45.0cm | 0.23kg |



#### MIS-PAINT-BRUSH-OVAL

Paint brush 75mm.

| DIAMETER | LENGTH | WEIGHT |
|----------|--------|--------|
| 9.0cm    | 23.0cm | 0.10kg |



#### MIS-DISPOSABLE-TRAY-LINER-270

Disposable paint tray liner 270mm. Pack of 5.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 34.5cm | 49.0cm | 10.0cm | 0.30kg |



#### MIS-ROLLER-COVER-230

Paint roller cover 230mm. Pack of 4.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 23.0cm | 24.0cm | 6.0cm  | 0.30kg |



#### ELT-SP-GAUGE

Surface profile gauge.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 5.0cm | 15.0cm | 12.5cm | 0.30kg |



#### ELT-S-WHEEL-50-5

Stitching wheel 5mm x 50mm dia.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 5.0cm | 19.4cm | 4.0cm  | 0.18kg |



#### MIS-RUBBER

Rubber mallet.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 11.5cm | 33.5cm | 7.0cm  | 0.95kg |



**MIS-PAINT-STIR**  
Paint stirring stick.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 2.5cm | 30cm   | 0.5cm  | 0.02kg |



**ELT-HAMMER-280**  
Pneumatic hammer  
280mm

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 9.0cm | 28.0cm | 9.0cm  | 1.74kg |



**ELT-S-WHEEL-50-3**  
Stitching wheel 3mm x  
50mm dia.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 5.0cm | 18.8cm | 4.0cm  | 0.13kg |



**PLASTIC-  
RELEASE-LINER**

| WIDTH | LENGTH | WEIGHT |
|-------|--------|--------|
|       |        |        |



**ELT-PNEUMATIC-GLUE-  
MIXER**  
20L Pneumatic glue  
mixing unit for making  
hot vulcanising rubber  
cement.

| WIDTH | LENGTH | HEIGHT |
|-------|--------|--------|
| 40cm  | 60.0cm | 4.00kg |



**ELT-HAMMER-370**  
Pneumatic hammer  
370mm.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 15.0cm | 370mm  | 9.0cm  | 2.95kg |



**MIS-UTILITY-KNIFE**  
Knife.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 11.5cm | 22.5mm | 3.0cm  | 0.40kg |



**MIS-STAPLE-GUN**  
Industrial staple gun for  
silicone infill applications.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 18.0cm | 18.7cm | 9.0cm  | 1.77kg |



**ELT-HAMMER-370-RH**  
Pneumatic hammer  
370mm rubber head.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 6.0cm | 6.0cm  | 8.0cm  | 2.22kg |



**ELT-HAMMER-280-RH**  
Pneumatic hammer  
280mm rubber head.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 5.0cm | 5.0cm  | 7.0cm  | 2.20kg |



**MIS-SYRINGE**

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 6.0cm | 12.0cm | 4.0cm  | 0.10kg |

## ADHESION TESTING TOOLS



**MIS-BOND-TEST-PIECE-HV-CB**  
Hot vulcanising and cold bonding test piece.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 2.3cm | 20.0cm | 0.4cm  | 0.19kg |



**MIS-BOND-TEST-CLAMP**  
Clamp


| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 11.0cm | 23.0cm | 9.0cm  | 2.50kg |



**MIS-BOND-TEST-SCALE**  
Crane scale 300kg for cold bonding and hot vulcanising applications bond testing.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 11.0cm | 17.2cm | 10.0cm | 0.7kg  |

CONSUMABLES



**CAL-2297NR-15.5-1.2-40-M**  
Uncured rubber sealing strip 15.5mm x 1.2mm x 40m roll sealing hot vulcanising lagging application.

| DIAMETER | HEIGHT | WEIGHT |
|----------|--------|--------|
| 27.0cm   | 4.4cm  | 1.25kg |



**SLV-ETHYL-ACETATE**  
Ethyl acetate 1L.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 4.0cm | 10.0cm | 17.0cm | 0.93kg |



**TRU-RAG-5KG**

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 40.0cm | 45.0cm | 57.0cm | 5.20kg |



## DIRECT BOND ACCESSORIES

### ADHESIVES



#### ELA-DBA-D-01L

Direct bond adhesive  
1L kit 2 x 0.5L.

| WIDTH  | HEIGHT | WEIGHT |
|--------|--------|--------|
| 23.0cm | 11.0cm | 1.11kg |



#### ELA-METALPRIMER-2207-1L

Metal primer for direct bond lagging applications 1L.

| WIDTH  | HEIGHT | WEIGHT |
|--------|--------|--------|
| 13.5cm | 11.0cm | 1.01kg |



#### ELA-DBA-D-20L

Elastotec direct bond adhesive (Drive) 20L kit (2 x 10L tubs) (Non DG item). Direct bond adhesive 20L kit 2 x 10L.

| WIDTH  | HEIGHT | WEIGHT  |
|--------|--------|---------|
| 30.0cm | 40.0cm | 22.20kg |



#### ELA-DBA-1.5L-CARTRIDGE-KIT

Direct bond adhesive 1.5L kit to use with pneumatic gun and mixing nozzle.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 7.0cm | 14.0cm | 27.0cm | 1.9kg  |

### APPLICATION TOOLS



#### DBA CARTRIDGE KIT (350ML)

Cartridge for direct bond adhesive grouting.

| WIDTH | HEIGHT | WEIGHT |
|-------|--------|--------|
| 4.5cm | 40.0cm | 0.06kg |



#### ELT-DP-METER-317

Dew point meter.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 9.5cm | 19.5cm | 45.0cm | 0.23kg |



#### DBA-MIXING-NOZZLE

Mixing nozzle for direct bond adhesive cartridge kit.

| WIDTH | HEIGHT | WEIGHT |
|-------|--------|--------|
| 3.0cm | 30.0cm | 0.20kg |



#### ELA-HDPE-1000

Direct bond application HDPE spacer (8mm x 10mm x 1000mm).

| WIDTH | LENGTH | HEIGHT  | WEIGHT |
|-------|--------|---------|--------|
| 1.0cm | 0.8cm  | 100.0cm | 0.07kg |



**ELT-SP-GAUGE**  
Surface profile gauge.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 5.0cm | 15.0cm | 12.5cm | 0.30kg |



**DBA-PNEUMATIC**

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 30.0cm | 15.0cm | 70.0cm | 3.80kg |



**DBA-NOTCHED-TROWEL 300-95-8MM**  
Notched trowel for direct bond adhesive application.

| WIDTH  | THICKNESS | WEIGHT |
|--------|-----------|--------|
| 30.0cm | 9.5cm     | 0.30kg |



**MIS-UTILITY-KNIFE**  
Knife.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 11.5cm | 22.5mm | 3.0cm  | 0.40kg |



**MIS-PAINT-STIR**  
Paint stirring stick.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 2.5cm | 30cm   | 0.5cm  | 0.02kg |

## ADHESION TESTING TOOLS



**MIS-BOND-TEST-PIECE-DB-JIG**  
Direct bond test kit.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 9.0cm | 16.0cm | 7.0cm  | 0.33kg |



**MIS-BOND-TEST-PIECE-DB-MP**

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 5.2cm | 1.5cm  | 15.0cm | 0.55kg |

CONSUMABLES



**TAPE-FILAMENT-41X25MM**  
Direct bond two-way filament tape 41mm x 45mm.

| WIDTH | THICKNESS | WEIGHT |
|-------|-----------|--------|
| 4.1cm | 7.0cm     | 0.36kg |



**SLV-ETHYL-ACETATE**  
Ethyl acetate 1L.

| WIDTH | LENGTH | HEIGHT | WEIGHT |
|-------|--------|--------|--------|
| 4.0cm | 10.0cm | 17.0cm | 0.93kg |



**TRU-RAG-5KG**  
Absorbent rag 5kg Box.  
600mm x 400mm 350/ctn.

| WIDTH  | LENGTH | HEIGHT | WEIGHT |
|--------|--------|--------|--------|
| 40.0cm | 45.0cm | 57.0cm | 5.20kg |



**TAPE-FILAMENT-86X45MM**  
Direct bond two-way filament tape 86mm x 45mm.

| WIDTH | THICKNESS | WEIGHT |
|-------|-----------|--------|
| 8.6cm | 8.0cm     | 0.52kg |



Explore our range of pulley lagging accessories online,  
or speak with the Elastotec team to find what you need.

**ORDER  
ACCESSORIES**

**CONTACT  
ELASTOTEC**



+61 (0)2 8987 1922



[sales@elastotec.com.au](mailto:sales@elastotec.com.au)



[elastotec.com.au](http://elastotec.com.au)



61 Somersby Falls Rd,  
Somersby NSW 2250, Australia